

Time: 3 Hours

DECEMBER 2013

Max. Marks: 100

PLEASE WRITE YOUR ROLL NO. AT THE SPACE PROVIDED ON EACH PAGE IMMEDIATELY AFTER RECEIVING THE QUESTION PAPER.

NOTE: There are 9 Questions in all.

- Question 1 is compulsory and carries 20 marks. Answer to Q.1 must be written in the space provided for it in the answer book supplied and nowhere else.
- The answer sheet for the Q.1 will be collected by the invigilator after 45 Minutes of the commencement of the examination.
- Out of the remaining EIGHT Questions answer FIVE Questions, selecting at least TWO questions from each part. Each question carries 16 marks.
- Any required data not explicitly given, may be suitably assumed and stated.

Q.1 Choose the correct or the best alternative in the following: (2×10)

a. Give the output for the following code:

```
for ( ch = (int) 'd'; ch < (int) 'n'; ch += 3)
{ printf( "%c", (char) ch);
}
```

- (A) 68697071 (B) dgjm
(C) dgdj (D) Error

b. To move the file pointer to a specific location which of the following function is used.

- (A) int fseek(FILE *fp, long int numbytes, int origin);
(B) int fread(FILE *fp, long int numbytes, int origin);
(C) int fwrite(FILE *fp, long int numbytes, int origin);
(D) int fpos(FILE *fp, long int numbytes, int origin);

c. _____ is a data structure used to store collection of data times of _____ type.

- (A) int, same respectively (B) array, multiple respectively
(C) double, void respectively (D) array, same respectively

d. What are the values of m, n and p after execution of the following code:

```
int j =15, k =12;
int main()
{
n = j - ++k;
m = j-- + k--;
p = ++k + j--;
printf("m = %d, n = %d, p= %d",m, n, p);
}
```

- (A) n=3, m = 26, p = 28 (B) n=2, m = 28, p = 30
(C) n=2, m = 28, p = 27 (D) Error in code

- e. A _____ is a memory location that is shared by _____ different types of variables.
- (A) union, two or more respectively
 (B) structure, one respectively
 (C) enumerations, two or more respectively
 (D) union, enumeration respectively
- f. Extra memory of $O(n)$ is needed in _____
- (A) Radix sort (B) Insertion sort
 (C) Quick sort (D) Merge sort
- g. Recursion is implemented using _____
- (A) Stacks (B) Linked List
 (C) Queues (D) All of these
- h. The maximum number of nodes in a binary tree of depth k is _____ where $k \geq 1$.
- (A) $2^k - 2$ (B) $2^k - 1$
 (C) $2^k + 1$ (D) 2^k
- i. Graph traversing algorithms like breadth first search and depth first search use the following data structures
- (A) linked list, queue (B) stack, linked list
 (C) queue, stack (D) None of these
- j. Dynamic storage management is implemented using _____
- (A) graphs (B) queues
 (C) stack (D) linked list

PART (A)

Answer at least any TWO Questions. Each question carries 16 marks.

- Q.2** a. Mention any five data types in C. Give their respective size in bits and range. (5)
- b. Write short notes on type casting. (3)
- c. Write a program to illustrate the usage of any four bitwise operators and give the corresponding output. (4)
- d. Give the tabular format to indicate precedence of operators in C language. (4)
- Q.3** a. Compare while, do-while and for loop statements in C programming language. (5)

- b. Mention the role of the following for printf() and scanf() statements:
(i) Type identifiers (ii) Field width
(iii) Precision (iv) Flags
(v) Escape Sequence (5)
- c. Explain the role of address and pointers in C language. Give an example of each for illustration. (6)
- Q.4** a. Explain recursion with the help of an example. (6)
- b. Explain the following with respect to functions and give an example for illustration:
(i) call-by-value (ii) call-by-reference (6)
- c. How can array elements be accessed using pointers? Give an illustration. (4)
- Q.5** a. Using array of strings, write a program to display strings January to December. (5)
- b. List any four file operations. (4)
- c. Consider a structure Student with data members - char name[20] and float tmarks. Write a program to read and display the values of data members: name and tmarks using pointer to student structure. (7)

PART (B)

Answer at least TWO Questions. Each question carries 16 marks.

- Q.6** a. Give the worst case and average case complexities for the following:
(i) Quick sort (ii) Merge sort
(iii) Heap sort (6)
- b. Write a C program to merge two sorted lists. (6)
- c. Define Binary Search Tree. Give an example for illustration. (4)
- Q.7** a. Mention the applications of stacks and queues. (4)
- b. Write a C program to illustrate the following operations in doubly linked list:
(i) Insert a new value after the specified value
(ii) Delete a new value after the specified value (6)
- c. Give the polynomial representation of linked list. (3)
- d. Give an example to illustrate empty linked list with header and trail nodes. (3)
- Q.8** a. Write a program to search for a target key in a binary search tree. (6)

- b. Write sequence of steps for the following tree traversals:
(i) Preorder (ii) Inorder
(iii) Postorder (6)
- c. Give the Big O comparisons for binary search tree and linked list for the following operations:
(i) FindElement() (ii) MakeEmpty() (4)
- Q.9** a. Give an example to illustrate array and linked list representation of graphs. (4)
- b. Write the algorithm for depth first search (DFS) and give its analysis. (4+4)
- c. Explain direct acyclic graph with an example. (4)