ROLL NO.	

Code: DE54 Subject: ENGINEERING MATERIALS

Diplete - ET

Time: 3 Hours JUNE 2013 Max. Marks: 100

PLEASE WRITE YOUR ROLL NO. AT THE SPACE PROVIDED ON EACH PAGE IMMEDIATELY AFTER RECEIVING THE OUESTION PAPER.

NOTE: There are 9 Questions in all.

- Question 1 is compulsory and carries 20 marks. Answer to Q.1 must be written in the space provided for it in the answer book supplied and nowhere else.
- The answer sheet for the Q.1 will be collected by the invigilator after 45 minutes of the commencement of the examination.
- Out of the remaining EIGHT Questions answer any FIVE Questions. Each question carries 16 marks.
- Any required data not explicitly given, may be suitably assumed and stated.

Q.1	Choose the correct or th	e best alternative in the following:	(2×10)
	a. The highest dielectric s	strength is possessed by	
	(A) Mica (C) PVC	(B) Transformer oil(D) Polyethylene	

- b. Materials which lack permanent magnetic dipoles are called
 - (A) diamagnetic(B) ferromagnetic(C) semi magnetic(D) none of these
- c. Silicon doped with phosphorous is a
 - (A) intrinsic semi-conductor(B) pure conductor(C) p-type semi-conductor(D) n-type semi-conductor
- d. Which of the following elements has maximum electrical conductivity?
 - (A) Silver(B) Copper(C) Aluminium(D) Stainless Steel
- e. The resistivity of all normal metals as temperature is lowered
 - (A) tends to zero
 - (B) tends to a constant value
 - (C) at first decrease and then increase
 - (**D**) none of these
- f. The voltage dependent resistors are usually made from
 - (A) Graphite(B) Charcoal(C) Silicon carbide(D) Nichrome

ROLL NO.	

Co

S

de	e: DE54	Subject: ENGINEERING MATERIA	L
g.	A strong electric field across a P-N	Junction that causes covalent bond to break	
	 (A) it is called avalanche breakdown (B) it is called reverse breakdown (C) it is called zener breakdown (D) it is called low voltage breakdown 		
h.	An FET has		
	 (A) a very high input impedance (B) a very low input impedance (C) a high impedance emitter junction (D) a forward biased PN junction 	tion	
i.	Hall effect can be used to measure		
	(A) magnetic field intensity(C) carriers concentration	(B) average number of holes(D) electrostatic field intensity	
j.	With increase in temperature, the o	orientation polarization	
	(A) increases(C) is constant	(B) decreases(D) none of these	
	· ·	ns out of EIGHT Questions. carries 16 marks.	_
a.	Explain the electron gas model of	a metal. (8	3)
b.	Explain the term superconductive electronic engineering.	ity. Mention its applications in electrical an	id 3)
	Explain the phenomena of polarization?	larization. What are the different types (16	
a.	What are the important requiremexamples and their uses.	nents of good insulating material? Give tw (12	
b.	What is piezo electricity? Explain.	. (4	1)
a.	Explain the following: (i) Magnetostriction(ii) Magnetic Resonance	$(2\times 5=10$))

Q.2

Q.3

Q.4

Q.5

(6)

b. What are permanent magnet materials? Explain.

ROLL NO

Code: DE54

Subject: ENGINEERING MATERIALS

- Q.6 a. Distinguish between conductor, semiconductor and insulators with the help of energy band-diagram.(8)
 - b. Explain Einstein's relation between diffusion constant and mobility. (8)
- **Q.7** a. Draw V-I characteristics and write applications of the following:
 - (i) Zener diode
 - (ii) Tunnel diode (8)
 - b. What is junction transistor? Describe in brief working of two types of transistor.
 - (8)
- **Q.8** a. Write applications of the following:
 - (i) Carbon resistor
 - (ii) Variable capacitor
 - (iii) Electronic values (6)
 - b. What is a wire wound resistor? Describe different types of wire wound resistor in brief? (10)
- **Q.9** a. What are the various methods by which junction are fabricated from pure single crystal semiconductor? Describe any two methods. (12)
 - b. Discuss operation of JFET as pintch off. (4)