

Q.2 b. Find I_1 and I_2 in Fig.2.






Q. 2. (b) SOLUTION




From equation (1)

v = 12.5 $I_1 = 12.5 A and I_2 = 2.5 A$ (Ans)


c. Obtain a single current source for the network shown in Fig.3.




Answer:



Q.3 a. A D.C voltage of 100V is applied in the circuit as shown in Fig.4 with the switch K as open. Find the complete expression for the current i(t) after the switch k is closed at t = 0.



Answer:



Switch is closed at t=0, the mesh equation is

$$100 = 20i + 0.1\frac{di}{dt}$$

0.1H

The complete solution is

$$i = i_c + i_p$$

$$i_c = Ce^{-200t}, \quad i_p = \frac{v}{R} = 5A$$

$$i = i_c + i_p$$

$$i = Ce^{-200t} + 5$$

Steady state current in the circuit is

$$i = \frac{v}{20 + 10} = \frac{100}{20 + 10} = 3.33A$$

Due to presence of inductor at t=0, i=3.33A
$$i = C + 5$$
$$C = -1.67$$
$$i = -1.67e^{-200t} + 5 A \quad (Ans)$$

Q.4 a. Find the inverse Laplace transform of $I(s) = \frac{s+1}{s(s^2+4s+4)}$

Answer:

$$I(S) = \frac{s+1}{s(s^2+4s+4)}$$

$$I(S) = \frac{s+1}{s(s+2)^2}$$

$$I(S) = \frac{P}{s} + \frac{Q}{s+2} + \frac{R}{(s+2)^2}$$

$$P=1/4, Q= -1/4 \text{ and } R=1/2$$

$$I(S) = \frac{1/4}{s} - \frac{1/4}{s+2} + \frac{1/2}{(s+2)^2}$$

$$I(S) = \frac{1}{4} - \frac{1}{4}e^{-2t} + \frac{1}{2}te^{-2t} \quad (A)$$

b. A series RL circuit is energized by D.C voltage of 1.0V by switching it at t=0. If R=1 Ω and L=1H. Find the expression for the current in the circuit.

Answer:

	Z(s) = R + sL
Assuming zero initial condition	
	$Y(s) = \frac{1}{R + sL} = \frac{1}{L} \frac{1}{s + R/L}$
Inverse Laplace transform	('
	$y(t) = \frac{1}{L}e^{-(R/L)t}$
Convolution Integral	
	$i(t) = y(t) * v(t) = \int_0^t y(t-\tau)v(\tau)d\tau$
	$i(t) = \int_{0}^{t} \frac{1}{L} e^{-(R/L)(t-\tau)} \cdot 1 d\tau $

Q.6 a. Test the following polynomial for the Hurwitz property. $P(s) = s^{4} + 2s^{3} + 4s^{2} + 12s + 10$

Answer:

Where

$$P(S) = S^{5} + 3S^{4} + 3S^{3} + 4S^{2} + S + 1$$

$$P(S) = M(S) + N(S)$$

$$M(S) = 3S^{4} + 4S^{2} + 1$$


$$N(S) = S^{5} + 3S^{3} + S$$

$$Z(S) = \frac{N(S)}{M(S)}$$
ynomial


The given function Hurwitz Polynomial


b. Find the pole zero locations of the current transfer ratio I_2/I_1 in S-


domain for circuit shown in Fig.6.



Answer:








Answer:

AE59



Open circuit at the output terminals

$$V_{1} = I_{1}j(40 - 160)V$$

$$Z_{11} = \frac{V_{1}}{I_{1}} = -j120 \Omega \quad (Ans)$$

$$V_{2} = I_{1}j(-160)V$$

$$Z_{21} = \frac{V_2}{I_1} = -j160 \,\Omega \quad (Ans)$$

Similarly open circuit at the input terminals

$$V_{2} = I_{2}j(80 - 160)V$$

$$Z_{22} = \frac{V_{2}}{I_{2}} = -j80 \Omega \quad (Ans)$$

$$V_{1} = I_{2}j(-160)V$$

$$Z_{12} = \frac{V_{1}}{I_{2}} = -j160 \Omega \quad (Ans)$$

b. The driving point impedance of a one port LC network is given by

$$Z(s) = \frac{8(s^2 + 4)(s^2 + 25)}{s(s^2 + 16)}$$
Obtain the foster form of equivalent network

Q.8

Answer:

$$Z(S) = \frac{8(S^2 + 4)(S^2 + 25)}{S(S^2 + 16)}$$

CIRCUIT THEORY & DESIGN DEC 2013

The partial fraction expansion

$$Z(S) = \frac{A_0}{S} + \frac{A_2}{s+j4} + \frac{A_2}{s-j4} + H(s)$$
$$A_0 = \frac{8(S^2 + 4)(S^2 + 25)}{S(S^2 + 16)}$$

Put s=0

$$A_0 = \frac{8 \times 4 \times 25}{16} = 50$$
$$A_2 = \frac{8(S^2 + 4)(S^2 + 25)}{S(S - j4)}$$

 $A_2 = 27$ H=8

Put s = -j4

In the first form of foster network

$$C_{0} = \frac{1}{A_{0}} = \frac{1}{50}F$$

$$C_{2} = \frac{1}{2A_{2}} = \frac{1}{54}F$$

$$C_{2} = H = 8H$$

$$L_2 = \frac{2A_2}{w_n^2} = 3.375H$$

The first form of foster network

